

# Work Order ID 57074

Saturday, March 20, 2010 9:50:47 AM



Page 1

Item ID: D3915-041

Accept



Setup Start



Revision ID:

Item Name: Light Lid ass'y, Long lid

Stop



Start Date: 3/22/2010 Start Qty: 1.00



Cust Item ID:

Required Date: 3/31/2010 Req'd Qty: 1.00



Customer:

Reference:

**PRELIMINARY ISSUE**

Approvals: Process Plan: mr

Date: 10-3-20

Tooling:

Date:

Run Start



QC:

Date:

SPC (Y/N):

Date:

Stop



Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Draw Number	Draw Rev.	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	----------------	--------------	--------------	---------------	---------------	------------------	----------------

Draw Nbr	Revision Nbr
D3915	PA1

100 Weld per dwg A/R Aluminum rod Batch: 0.00



Large Fab

Large Fab

M112860

Memo

0.00

1- assemble ribs, weld as per dwg D3915

\*\*\*DO NOT WELD THE (4) CORNERS. GRIND OFF CORNERS TO HAVE A 1/8" GAP TO GET THE ACID AND ALODINE OUT OF BASKET LID FRAME\*\*\*

2- weld hinge, label plate and Mounting plates as per dwg D3915

① 10-03-30

110



QC

Quality Control

QC9- Inspect visual per QSI004- Fusion Welds 0.00

Memo

0.00

Photo →

# Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes ☒ No ☐ DQA: / Date: 11/01/28

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A (Detail D)	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			
10/03/31	2 100	During welding Found that D7957 spacing is measuring 1.125". Should be 1.250" ± 0.030 EL not welded correctly. LOA	<u>/</u> 10/31/24	Rework no longer required SCRAP	<u>CP</u> 11/01/24	8 11/01/28	<u>/</u> 11/01/28	8 10/03/31
11/01/24		Scrap - Now at Rev C	<u>/</u> 11/01/24				<u>/</u> 11/01/24	

NOTE: Date & initial all entries

**Work Order ID 57074**

Saturday, March 20, 2010 9:50:47 AM



Page 2

Item ID: D3915-041

Accept



Setup Start



Revision ID:

Stop



Item Name: Light Lid ass'y, Long lid

Start Date: 3/22/2010 Start Qty: 1.00



Cust Item ID:

Required Date: 3/31/2010 Req'd Qty: 1.00



Customer:

Reference:

Approvals: Process Plan: \_\_\_\_\_ Date: \_\_\_\_\_ Tooling: \_\_\_\_\_ Date: \_\_\_\_\_

Run Start



QC: \_\_\_\_\_ Date: \_\_\_\_\_ SPC (Y/N): \_\_\_\_\_ Date: \_\_\_\_\_

Stop

Sequence ID/  
Work Center IDOperation  
DescriptionSet Up/  
Run HoursDraw  
NumberDraw  
Rev.Plan  
CodeAccept  
QtyReject  
QtyReject  
NumberInsp.  
Stamp

120



QC5- Inspect part completeness to step on W/O

0.00

QC

Memo

0.00

Quality Control

130



Chemical Conversion Coat per QSI005 4.1

0.00

HandFinish

Memo

0.00

Hand Finishing

\*\*\*ENSURE TO RINSE CAREFULLY ACID AND ALODINE\*\*\*

140



Weld per dwg A/R Aluminum rod Batch: \_\_\_\_\_

0.00

Large Fab

Memo

0.00

Large Fab

1- weld (4) corners

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

**Work Order ID 57074**

Saturday, March 20, 2010 9:50:47 AM



Page 3

Item ID: D3915-041

Accept



Setup Start



Revision ID:

Stop



Item Name: Light Lid ass'y, Long lid

Start Date: 3/22/2010 Start Qty: 1.00



Cust Item ID:

Required Date: 3/31/2010 Req'd Qty: 1.00



Customer:

Reference:

Approvals: Process Plan: \_\_\_\_\_ Date: \_\_\_\_\_ Tooling: \_\_\_\_\_ Date: \_\_\_\_\_

Run Start



QC: \_\_\_\_\_ Date: \_\_\_\_\_ SPC (Y/N): \_\_\_\_\_ Date: \_\_\_\_\_

Stop

Sequence ID/  
Work Center IDOperation  
DescriptionSet Up/  
Run HoursDraw  
NumberDraw  
Rev.Plan  
CodeAccept  
QtyReject  
QtyReject  
NumberInsp.  
Stamp

150



QC9- Inspect visual per QSI004- Fusion Welds

0.00

QC

Memo

0.00

Quality Control

160



White Gloss(Ref:4.3.5.1) per QSI005 4.3-Alum

0.00

Powdercoat

Memo

0.00

Powder Coating

1- touch up corner with alodine only  
2- Plug holes prior to

1ST COAT:

START TIME: \_\_\_\_\_

OVEN TEMPERATURE: \_\_\_\_\_

FINISH TIME: \_\_\_\_\_

\*\*\*\*\* 2nd coat if necessary\*\*\*\*\*

2ND COAT:

START TIME: \_\_\_\_\_

OVEN TEMPERATURE: \_\_\_\_\_

FINISH TIME: \_\_\_\_\_

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

**Work Order ID 57074**

Saturday, March 20, 2010 9:50:47 AM



Page 4

Item ID: D3915-041

Accept



Setup Start



Revision ID:

Stop



Item Name: Light Lid ass'y, Long lid

Start Date: 3/22/2010 Start Qty: 1.00



Cust Item ID:

Required Date: 3/31/2010 Req'd Qty: 1.00



Customer:

Reference:

Approvals: Process Plan: \_\_\_\_\_ Date: \_\_\_\_\_ Tooling: \_\_\_\_\_ Date: \_\_\_\_\_

Run Start



QC: \_\_\_\_\_ Date: \_\_\_\_\_ SPC (Y/N): \_\_\_\_\_ Date: \_\_\_\_\_

Stop

Sequence ID/  
Work Center IDOperation  
DescriptionSet Up/  
Run HoursDraw  
NumberDraw  
Rev.Plan  
CodeAccept  
QtyReject  
QtyReject  
NumberInsp.  
Stamp

170

QC3- Inspect Part Finish

0.00



QC

Memo

0.00

Quality Control

180

Assemble as per dwg

0.00



HandFinish

Memo

0.00

Hand Finishing

1- Install webbing as per dwg

2- Install placard and label as per dwg

190

QC5- Inspect part completeness to step on W/O

0.00



QC

Memo

0.00

Quality Control

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries



**Work Order ID 57074**

Saturday, March 20, 2010 9:50:48 AM

Page 5

Item ID: D3915-041

Accept

Setup Start

Revision ID:

Stop

Item Name: Light Lid ass'y, Long lid

Start Date: 3/22/2010 Start Qty: 1.00

Cust Item ID:

Required Date: 3/31/2010 Req'd Qty: 1.00

Customer:

Reference:

Approvals: Process Plan: \_\_\_\_\_ Date: \_\_\_\_\_ Tooling: \_\_\_\_\_ Date: \_\_\_\_\_

Run Start

QC: \_\_\_\_\_ Date: \_\_\_\_\_ SPC (Y/N): \_\_\_\_\_ Date: \_\_\_\_\_

Stop

Sequence ID/  
Work Center IDOperation  
DescriptionSet Up/  
Run HoursDraw  
NumberDraw  
Rev.Plan  
CodeAccept  
QtyReject  
QtyReject  
NumberInsp.  
Stamp

200

Identify as per dwg &amp; Stock Location: \_\_\_\_\_

0.00



Packaging

Memo

0.00

Packaging

210

QC21- Final Inspection - Work Order Release

0.00



QC

Memo

0.00

Quality Control

120320

POSITIVE RECALL

EFFECTIVE 1003-22 AUTH W

RELEASED \_\_\_\_\_ DATE \_\_\_\_\_

1003-24

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

# Picklist Print

Page 1

Saturday, March 20, 2010 9:50:47 AM

Work Order ID: 57074

Parent Item: D3915-041

Parent Item Name: Light Lid ass'y, Long lid



Comments: IPP Rev:A new issue DD 10.03.19 verified by:EC

Start Date: 3/22/2010

Required Date: 3/31/2010

Start Qty: 1.00

Required Qty: 1.00

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Remaining Qty To Pick	Qty Issued	Date Issued	Status
D2957  Mounting Plate		Manufactured	No			100	Each	6.0000	4.0000 		<i>Pl 10.03.30</i>	

## Warehouse

## Loc Qty

## Loc Code

### Location

Main Warehouse

WA

29869

36399

56660

*B57088 → 4*

D3915-1  
  
Rib

Manufactured No

100

Each

0.0000

2.0000  


*B57089 → 2 Pl 10.03.30*

D4016-5  
  
Hinge Half, Light Lid

Manufactured No

100

Each

6.0000

3.0000  


*B56951 → 3 Pl 10.03.30*

## Warehouse

## Loc Qty

## Loc Code

### Location

Main Warehouse

ENG

56075

6

6

D4019-3  
  
Rib

Manufactured No


100

Each

0.0000

3.0000  


*B57090 → 3 Pl 10.03.30*

D4035-045  
  
Lid Rib Assembly, Fwd (Light)

Manufactured No

100

Each

0.0000

1.0000  


*B56972 → 1 Pl 10.03.30*

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

# Picklist Print

Saturday, March 20, 2010 9:50:47 AM

Work Order ID: 57074



Parent Item: D3915-041



Parent Item Name: Light Lid ass'y, Long lid

Start Date: 3/22/2010

Required Date: 3/31/2010

Comments: IPP Rev:A new issue DD 10.03.19 verified by:EC

Start Qty: 1.00

Required Qty: 1.00

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Remaining Qty To Pick	Qty Issued	Date Issued	Status
---------------------------------	------------------------	---------------	-------------	---------------------	------------------	-----------------	--------------------	----------------	--------------------------	---------------	----------------	--------

D4035-047		Manufactured	No			100	Each	0.0000	1.0000			
Lid Rib Assembly, Aft (Light)												
D4056-1		Manufactured	No			100	Each	2.0000	1.0000			
Label Plate												

B56977 → 1 PL 10.03.10

PL 10.03.10

## Warehouse

## Loc Qty

## Loc Code

### Location

Main Warehouse

WA

56661

2

2

B56938 → 1

D2728-1		Manufactured	No			180	Each	0.0000	1.0000			
Dart Logo label												
D4029-041		Manufactured	No			180	Each	0.0000	1.0000			
Webbing (Long Basket)												
D4086-220		Manufactured	No			180	Each	0.0000	1.0000			
Placard, Max Load												

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

# Picklist Print

Saturday, March 20, 2010 9:50:47 AM

Work Order ID: 57074



Parent Item: D3915-041



Parent Item Name: Light Lid ass'y, Long lid

Start Date: 3/22/2010

Required Date: 3/31/2010

Comments: IPP Rev:A new issue DD 10.03.19 verified by:EC

Start Qty: 1.00

Required Qty: 1.00

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Remaining Qty To Pick	Qty Issued	Date Issued	Status
MS20600-AD4W5  Blind Rivet		Purchased	No			180	Each	758.0000	34.0000			

Warehouse

Loc Qty

Loc Code

Location

Main Warehouse

ST321

758

110523

212

111477

546

NAS1149DN416J

Purchased

No

180

Each

0.0000

34.0000



Washer



W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_


Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries



ITEM	QTY -041	QTY -101	P/N	DESCRIPTION
	X		D3915-041	LIGHT LID ASSY, LONG BASKET
1	1	X	D3915-101	BASKET LID WELDMENT ASSY
2		2	D3915-1	RIB
3	1		D2728-1	DART LOGO LABEL
4		4	D2957	MOUNTING PLATE
5		3	D4016-5	HINGE HALF
6		3	D4019-3	RIB
7	1		D4029-041	WEBBING (LONG BASKET)
8		1	D4035-045	LID RIB ASSY, FWD
9		1	D4035-047	LID RIB ASSY, AFT
10		1	D4056-1	LABEL PLATE, 350 LIGHT BASKET
11	1		D4086-220	PLACARD, MAX LOAD
12	34		MS20600AD4W5	BLIND RIVET
13	34		NAS1149DN416J	WASHER



**D3915-041 LIGHT LID ASSY, LONG BASKET ASSY**


**NOTES:**

- 1) MATERIAL: N/A
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: 6.91 lbs



**RELEASED**  
2010-03-22  
MD

A		NEW ISSUE		JPH	10.03.16
REV.	DESCRIPTION			BY	DATE
DESIGN	AJS	<b>DART AEROSPACE LTD</b> HAWKESBURY, ONTARIO, CANADA		REV. A	
DRAWN	JPH			SHEET 1 OF 4	
CHECKED		DRAWING NO.		SCALE	
MFG. APPR.		D3915		TITLE	
APPROVED		DATE		10.03.16	
DE APPR.		DATE		10.03.16	
<small>COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL. AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>					

#57074




**D3915-041 LIGHT LID ASSY, LONG BASKET**



**SECTION A-A C8-2**


**RELEASED**  
2010-03-22

DESIGN	AJS	<b>DART AEROSPACE LTD</b> HAWKESBURY, ONTARIO, CANADA	
DRAWN	JPH		
CHECKED	LS	DRAWING NO.	REV. A
MFG. APPR.	HA	D3915	SHEET 2 OF 4
APPROVED	HA	TITLE	SCALE
DE APPR.	HA	LIGHT LID ASSY-LONG BASKET	Nts
DATE	10.03.16	<small>COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	



**SECTION B-B** C7-3

**D3915-101 BASKET LID WELDMENT ASSY ASSY**



**DETAIL C** D8-3

**DETAIL D** C3-3


**NOTES:**

- 1) MATERIAL: N/A
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1  
POWDER COAT WHITE (4.3.5.1) PER DART QSI 005 4.3
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: 4.81 lbs
- 8) WELD PER DART QSI 004

**RELEASED**  
2010-03-22

DESIGN	A/S	<b>DART AEROSPACE LTD</b>	
DRAWN	JPH	HAWKESBURY, ONTARIO, CANADA	
CHECKED	B	DRAWING NO.	REV. A
MFG. APPR.	M	D3915	SHEET 3 OF 4
APPROVED	#	TITLE	SCALE
DE APPR.	#	LIGHT LID ASSY-LONG BASKET	Nts
DATE	10.03.16	<small>COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

#57074



**D3915-1 RIB**

- NOTES:**
- 1) MATERIAL: 6061-T6 (OR 6061-T651/ T6510/ T6511/ T62) SQUARE TUBING  
PER AMS-QQ-A-225/8 (OR AMS 4117/ 4128/ 4115 / 4116) OR  
PER AMS-QQ-A-200/8 (OR AMS 4160)  
REF DART SPEC. M6061T6TS0.750W.062
  - 2) FINISH: NONE
  - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
  - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
  - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
  - 6) IDENTIFICATION: NONE
  - 7) WEIGHT: 1.49 lbs

**RELEASED**  
2010-03-22

DESIGN	AJS	<b>DART AEROSPACE LTD</b>	
DRAWN	JFH	HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. A
MFG. APPR.		D3915	SHEET 4 OF 4
APPROVED		TITLE	SCALE
DE APPR.		LIGHT LID ASSY-LONG BASKET	NTS
DATE	10.03.16	<small>COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	